

Seminar 3 Solutions

Giulio Rossetti*

giuliorossetti94.github.io

January 31, 2025

* email: giulio.rossetti.1@wbs.ac.uk

Exercise 4: Work vs. Sleep

Disclaimer

Full solutions are available on my.wbs. All exercises are examinable material, not just the ones we covered in the seminars.

Roadmap

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 1: Omitted Variable Bias

Model:

$$\log(wage) = \beta_0 + \beta_1 female + \beta_2 train + \beta_3 educ + \beta_4 exper + u$$

- If less able workers are more likely to be selected and ability is *omitted*:

True model:

$$\log(wage) = \beta_0 + \beta_1 female + \beta_2 train + \beta_3 educ + \beta_4 exper + \beta_5 ability + \epsilon$$

- therefore $u = \beta_5 ability + \epsilon$
- What can we say about the **bias** in the OLS estimate of β_2 ?

	$Corr(x_2, x_5) > 0$	$Corr(x_2, x_5) < 0$
$\beta_5 > 0$	Positive Bias	Negative Bias
$\beta_5 < 0$	Negative Bias	Positive Bias

Exercise 1: Omitted Variable Bias

- Higher worker ability leads to Higher wages: $\beta_5 > 0$.
- Auxiliary model:

$$ability = \delta_0 + \delta_1 train + v$$

- Estimate likely to be $\tilde{\delta}_1 < 0$. i.e. *train* and *ability* are negatively correlated (Less able workers are more likely to be selected for training).
- Bias in OLS estimate:

$$\tilde{\beta}_2 = \hat{\beta}_2 + \hat{\beta}_5 \tilde{\delta}_1 < \hat{\beta}_2.$$

- Bias: $\beta_5 > 0$, $Cov(train, ability) < 0$ implies Negative Bias on β_2
- Conclusion: Negative bias in β_2 , but the magnitude cannot be exactly quantified.

Collinearity and Interaction Terms

- **Dummy variables** and perfect collinearity:
 - By definition, $male = 1 - female$.
 - Including both $male$ and $female$ causes **perfect collinearity**.
 - If there are N dummy variables, include only $N - 1$ to avoid collinearity.
 - Alternative: exclude the intercept term β_0 .
- **Interaction term for gender and training program:**
 - To test if training effects differ by gender, modify the model:

$$\log(wage) = \beta_0 + \beta_1 female + \beta_2 train + \beta_3 educ + \beta_4 exper + \beta_5 female \times train$$

- This allows different slopes for $train$ by gender.

Roadmap

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 2: Randomized Experiment

- Scholarship *randomly assigned*, independent of other factors.
- OLS is unbiased as long as assumptions hold.
 - No change in OLS mechanics or statistical theory.
 - Interpretation of the coefficient differs.
 - With a single regressor, OLS provides an unbiased estimate as long as SLR.1 through SLR.4 hold.

OLS and Dummy Variables

- Should we add additional controls? Do we have an OVB?

OLS and Dummy Variables

- Should we add additional controls? Do we have an OVB?
- MLR4 Zero Conditional Mean Assumption:

$$\mathbb{E}[u_i \mid x_i] = 0 \quad (1)$$

$$\mathbb{E}[u_i \mid \textit{scholarship}] = 0 \quad (2)$$

- Is MLR4 satisfied? If not, we have an OVB.
- OVB vs better model fit

Roadmap

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Heteroskedasticity Consequences

Which of the following are consequences of heteroskedasticity?

1. The OLS estimator, $\hat{\beta}_j$, is biased.
2. The OLS estimator is no longer BLUE.
3. The usual t -statistic no longer has a t distribution.

Roadmap

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 4: Work vs. Sleep

Model: $sleep = \beta_0 + \beta_1 totwrk + \beta_2 educ + \beta_3 age + \beta_4 male + u$

sleep	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	
totwrk	-1.1657914	.0179622	-9.23	0.000	-1.2010576	-1.1305253
educ	-11.75612	5.866382	-2.00	0.045	-23.27391	-1.2383405
age	1.964277	1.442942	1.36	0.174	-1.8687296	4.797282
male	87.99325	34.32329	2.56	0.011	20.6045	155.382
_cons	3642.467	111.8443	32.57	0.000	3422.877	3862.056

Model:

$sleep = \beta_0 + \beta_1 totwrk + \beta_2 educ + \beta_3 age + \beta_4 male + \beta_5 male \times totwork + u$

sleep	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	
totwrk	-1.1438338	.026148	-5.50	0.000	-1.1951717	-.0924959
educ	-11.78482	5.865035	-2.01	0.045	-23.29998	-1.2696511
age	1.723503	1.457574	1.18	0.237	-1.138238	4.585244
male	174.457	82.333	2.12	0.034	12.80782	336.1062
male_totwrk	-.0419258	.0362901	-1.16	0.248	-1.1131762	.0293246
_cons	3614.41	114.4244	31.59	0.000	3389.754	3839.066

Exercise 4: Work vs. Sleep

- Do men sleep more than women?
 - Male tend to sleep more than females $\hat{\beta}_4 = 87.99$, ($p = 0.011$)
 - At which **confidence level** can we reject the *null hypothesis*
 $H_0 : \beta_4 = 0$?
- Trade-off between work and sleep:
 - **Statistically significant** tradeoff: $\hat{\beta}_1 = -0.166$
 - Strong significance: $t_{\hat{\beta}_1} = -9.23$, $p < 0.001$
 - Intuition: The more you work, the less you sleep.
- Being male and working hard:
 - No effect ($\hat{\beta}_5 = -0.042$, $t_{\hat{\beta}_5} = -1.16$, $p = 0.248$).
 - Hardworking men still tend to sleep more than females.
 - The interaction term does not significantly affect the impact of being male on sleep time.